

Care & Cleaning

The lustrous finish on your Volevatch® fittings, Volevatch® accessories, Volevatch® fixtures or Volevatch® shower enclosures should be treated with care as it is a living finish, meaning it will evolve over time.

Most finishes will age gracefully and develop a unique patina depending on the climate, exposure, handling, cleaning, and waxing routine that is established.

For best results, please remember the following General Cleaning Guidelines:

Wash surfaces gently with a soft damp cloth; use a neutral liquid soap such as Savon de Marseille with water for daily cleaning.

Rinse completely with water, dry any overspray. Never use an abrasive material such as a brush or scouring pad to clean surface. The use of abrasive cleaners, cleansers or disinfectants will alter the surface finish and void the warranty.

Note that prolonged contact with certain items such as toothpaste, air freshener, cologne, shaving cream, nail polish remover, vinegar lemon and wines will also alter all surface finishes and void the warranty.

Caracteristiques and care of living finishes

CHROME (V03), POLISHED NICKEL (V02)

Follow the general cleaning guidelines. Clean as often as necessary with the white stone. If you desire additional protection, the use of the anti-calcium spray cleaner will aid in cleaning and protecting the surface by leaving a protective coating that will repel water.

MATTE NICKEL (V04)

This durable finish will not change if the general cleaning guidelines are followed and the suggested bi-annual wax routine is performed. If you desire additional protection, the use of the anti-calcium spray cleaner will aid in cleaning and protecting the surface by leaving a protective coating that will repel water.

GOLD LUMIN (V15), MATTE GOLD (V16), SHINY GOLD (V17)

These finishes are more susceptible to wear caused by cleaning agents. Volevatch recommends cleaning only with a damp cloth, with no soap or other cleaning agent. The use of cleaning agents or polishing agents will damage the finish and void the warranty.

LUXBRASS (V12), DARK BRONZE PATINA (V10), CONCORDIA (V11)

These finishes tend to show subtle wear by revealing the bronze undertones in the areas of use. Follow the general cleaning guidelines for these finishes and the suggested bi-annual wax routine. These finishes will age or patina with exposure, climate, and handling. The use of polishing agents will remove the patina and restore the metal to its original shine.

Once removed, the patina will naturally redevelop with time and use.

OPTIONS FINITIONS / FINISHES OPTIONS

Robinetterie, Cuisine, Boutons et Poignées, Accessoires
Bathroom Taps, Kitchen Taps, Caninet and Door Hardware, Accessories

—
volevatch

ARCHITECTURAL BRONZE(V06), LACQUERED ANTIQUE BRONZE (V05), ANTIQUE COPPER (V08), SOVEREIGN (V09)

Follow the general cleaning guidelines for these finishes and the suggested bi-annual wax routine. The use of polishing agents will remove the antique finish and void the warranty.

UNLACQUERED BRASS (V01)

This finish will age or patina with exposure, climate, and handling. It is sensitive to air, humidity and calcium. Calcium spots may be removed using a vinegar-based solution keeping an eye on the action of the vinegar which removes the calcium but also oxidizes the brass. Rinse abundantly. The original shine can be restored using Mirror® or an appropriate polishing compound.

SHINY COPPER (V07)

This finish will age or patina with exposure, climate, and handling. It is sensitive to air, humidity and calcium. The original shine can be restored using Mirror® or an appropriate polishing compound.

SILVER (V13)

These finishes will age or patina with exposure, climate, and handling. They are sensitive to air, humidity and calcium. The original shine can be restored using Argentil® or an appropriate polishing compound.

MATTE SILVER (V14)

This durable finish will not change if the general cleaning guidelines are followed and the suggested bi-annual wax routine is performed. If you desire additional protection, the use of the anti-calcium spray cleaner will aid in cleaning and protecting the surface by leaving a protective coating that will repel water.

Wood Finish

All wooden lever handles should be maintained with a soft damp cloth. Dust frequently with a soft cloth in the direction of the grain. Use only the Volevatch cleaner, a nourishing oil that will protect and nourish the finish.

Care of Fixtures

VITREOUS CHINA AND FIRECLAY

The general cleaning guidelines are recommended. Clean as often as necessary with the White Stone.

COMPOSITE BATH TUBS INTERIOR AND EXTERIOR, CAST IRON WITH ENAMEL INTERIOR

In addition to the general cleaning guidelines, a non abrasive basin tub and tile cleaner can be utilized for regular cleaning. Clean as often as necessary with the White Stone.

COPPER BATH TUB

These finishes will age or patina with exposure, climate, and handling. They are sensitive to air, humidity and calcium. Calcium spots may be removed using a vinegar-based solution keeping an eye on the action of the vinegar which removes the calcium but also oxidizes the brass. Rinse abundantly.

The original shine can be restored using Mirror® or an appropriate polishing compound.

CAST IRON WITH PAINTED EXTERIOR

Please use only the general cleaning guidelines for this finish. Clean as often as necessary with the White Stone.

Entretien & Beauté du métal

Les finitions de votre robinetterie Volevatch®, accessoires Volevatch®, radiateurs sèche-serviettes Volevatch® et structure de cabine de douche Volevatch® nécessitent un entretien précautionneux. Ces finitions sont le résultat d'un savoir-faire artisanal et de par la particularité du métal, elles évoluent dans le temps. Certaines finitions se patinent et d'autres nécessitent un entretien régulier pour conserver l'éclat original.

Les créations Volevatch® sont des objets d'exception et vivants et demandent un minimum de soin. Quelles que soient les finitions, les conseils ci-après vous feront profiter longtemps de la beauté vos produits :

Essuyer régulièrement les gouttes d'eau en surface avec un chiffon microfibre doux afin d'éviter le dépôt de calcaire.

Pour un entretien quotidien, utiliser du savon neutre type Savon de Marseille ; Bien rincer avec de l'eau ; essuyer et sécher avec un chiffon doux microfibre. Ne jamais utiliser d'éponges abrasives ou de produits à base d'acide, d'abrasif, solvant, décapant pour pierre ou ammoniac qui endommageraient la finition et rendrait nulle la garantie.

A savoir : Le contact prolongé des produits que nous utilisons quotidiennement comme le dentifrice, solvant à ongles, crème à raser, eau de Cologne, vinaigre, vin, citron peuvent altérer la finition et rendre nulle la garantie.

Caracteristiques et entretien des finitions laitonnees

CHROME (V03), NICKEL BRILLANT (V02)

Suivre les conseils d'entretien décrits en préambule. Nettoyer aussi souvent que nécessaire avec de la Pierre d'Argent. Si vous souhaitez une protection supplémentaire, utiliser le spray anticalcaire qui protégera la surface en y déposant un film protecteur.

NICKEL MAT (V04)

Cette finition perdurera dans le temps à condition que les conseils d'entretien décrits en préambule soient respectés. Appliquer la cire de protection deux fois par an.

Si vous souhaitez une protection supplémentaire, utiliser le spray anti-calcaire qui protégera la surface en y déposant un film protecteur.

PLAQUE OR (V15), OR MAT (V16), OR GOLD (V17)

Ces finitions sont les plus délicates. Les produits de nettoyage sont à proscrire. Volevatch recommande l'utilisation simple d'un chiffon micro-fibres doux. L'utilisation de produits à base d'acide, d'abrasif, solvant, décapant pour pierre ou ammoniac endommageraient la finition et rendrait nulle la garantie.

LAITON BROSSE (V12), DARK BRONZE (V10), CONCORDIA(V11)

Ces finitions peuvent laisser transparaître le bronze à certains endroits en fonction de l'utilisation. Suivre les conseils d'entretien décrits en préambule et appliquer la cire de protection tous les 3 mois. Si vous souhaitez une protection supplémentaire, utiliser le spray anti-calcaire qui protégera la surface en y déposant un film protecteur.

L'utilisation de produits à base d'acide, d'abrasif, solvant, décapant pour pierre ou ammoniac endommageraient la finition et rendrait nulle la garantie.

Caracteristiques et entretien des finitions laitonnees

ARCHITECTURAL BRONZE (V06), LACQUERED ANTIQUE BRONZE (V05), ANTIQUE COPPER (V08), SOVEREIGN (V09)

Suivre les conseils d'entretien décrits en préambule et appliquer la lot cire de protection tous les 6 mois. Si vous souhaitez une protection supplémentaire, utiliser le spray anti-calcaire qui protégera la surface en y déposant un film protecteur.

L'utilisation de produits à base d'acide, d'abrasif, solvant, décapant pour pierre ou ammoniac endommageraient la finition et rendrait nulle la garantie.

LAITON POLI (V01) , CUIVRE BRILLANT (V07)

Ces finitions se patinent et s'oxydent naturellement dans le temps au toucher, à l'humidité, au temps et au calcaire.

Les taches les plus tenaces comme le calcaire peuvent être nettoyées avec une solution de vinaigre dilué (50% eau/50% vinaigre) en surveillant ses effets. Les taches seront dissoutes et le laiton oxydé. Le brillant d'origine peut être restauré avec du Mirror®.

SILVER (V13)

Ces finitions se patinent et s'oxydent naturellement dans le temps au toucher, à l'humidité, au temps et au calcaire.

Le brillant d'origine peut être restauré avec de l'Argentil®.

MATTE SILVER (V14)

Cette finition perdurera dans le temps à condition que les conseils d'entretien décrits en préambule soient respectés. Appliquer la cire de protection tous les 6 mois.

Si vous souhaitez une protection supplémentaire, utiliser le spray anti-calcaire qui protégera la surface en y déposant un film protecteur.

Entretien de Bois

Toutes les manettes en bois doivent être nettoyées régulièrement avec un chiffon doux et nourries avec une solution à base de térébenthine et huile de lin. Appliquer la solution dans le sens des veines.

Entretien des Sanitaires

LAVABOS, BIDETS ET WC EN PORCELAINE

Suivre les conseils d'entretien décrits en préambule. Nettoyer aussi souvent que nécessaire avec de la Pierre d'Argent.

BAIGNOIRES EN RESINE, FONTE OU ACIER EMAILLE

Suivre les conseils d'entretien décrits en préambule. Nettoyer aussi souvent que nécessaire avec de la Pierre d'Argent. L'utilisation de produits à base d'acide, d'abrasif, solvant, décapant pour pierre ou ammoniac endommageraient la finition et rendrait nulle la garantie.

BAIGNOIRE EN CUIVRE

Le cuivre se patine et s'oxyde naturellement dans le temps au toucher, à l'humidité, au temps et au calcaire.

En cas de dépôt de calcaire, les tâches peuvent être nettoyées avec une solution de vinaigre dilué (50% eau/50% vinaigre) en surveillant ses effets et seront dissoutes mais le laiton oxydé.

Le brillant d'origine peut être restauré avec du Mirror®.



VOLEVATCH

ORFÈVRE DU BAIN

GALERIE VOLEVATCH PARIS

108, rue du Cherche Midi – 75006 Paris

Tél. +33 (0)1 42 22 42 55 | info@volevatch.fr

volevatch.fr